


Planetary roller screws 行星滚柱丝杠

RSK 系列



型号	公称直径	导程	螺纹头数	螺距	基本额定载荷		螺母中径	螺母外径	螺母高度	滚柱中径	滚柱个数	法兰直径	法兰孔	法兰孔分度圆	法兰宽度	重量	效率
					额定静载	额定动载											
<i>RSDO L/dOkm</i>	mm	mm	个	mm	KN	KN	mm	mm	mm	mm	个	mm	mm	mm	mm	Kg	%
	<i>DO</i>	<i>L</i>	<i>N</i>	<i>P</i>	<i>C</i>	<i>CO</i>	<i>DMO</i>	<i>Dm</i>	<i>H</i>	<i>dO</i>	<i>m</i>	<i>Df</i>	<i>G</i>	<i>J</i>	<i>Lf</i>		<i>η</i>
RS1204/6K3s	12	4	4	1	9.26	6.67	24	36	30	6	3	56	46	16	0.28	92.61%	
RS1204/6K4s	12	4	4	1	12.35	8.89	24	36	30	6	4	56	46	16	0.29	92.61%	
RS1204/6K5	12	4	4	1	15.43	11.11	24	36	30	6	5	56	46	16	0.29	92.61%	
RS1204/6K3s	18	10	5	2	17.29	12.45	30	41	60	6	3	61	51	16	0.72	94.27%	
RS1204/6K3	12	4	4	1	18.52	13.33	24	36	60	6	3	56	46	16	0.43	92.61%	
RS1204/6K6	12	4	4	1	18.52	13.33	24	36	30	6	6	56	46	16	0.29	92.61%	
RS1204/6K7	12	4	4	1	21.61	15.56	24	36	30	6	7	56	46	16	0.30	92.61%	
RS1810/6K4s	18	10	5	2	23.05	16.59	30	41	60	6	4	61	51	16	0.73	94.27%	
RS1204/6K4	12	4	4	1	24.68	17.77	24	36	60	6	4	56	46	16	0.45	92.61%	
RS18-5/6K4	18	5	5	1	24.69	17.78	30	42	60	6	4	62	52	16	0.76	89.34%	
RS1805/6K8s	18	5	5	1	24.69	17.78	30	42	30	6	8	62	52	16	0.59	89.34%	
RS2004/10K3s	20	4	4	1	26.41	19.01	40	60	50	10	3	80	70	18	1.31	88.32%	
RS1805/6K9s	18	5	5	1	27.78	20.00	30	42	30	6	9	62	52	18	0.59	89.34%	
RS1810/6K5s	18	10	5	2	28.81	20.74	30	41	60	6	5	61	51	18	0.74	94.27%	
RS1805/6K5	18	5	5	1	30.87	22.22	30	42	60	6	5	62	52	18	0.77	89.34%	
RS1805/6K10s	18	5	5	1	30.87	22.22	30	42	30	6	10	62	52	18	0.60	89.34%	
RS2406/6K11s	24	6	6	1	33.95	24.45	36	48	30	6	11	68	58	18	1.13	86.28%	
RS1810/6K3	18	10	5	2	34.57	24.89	30	41	60	6	3	61	51	18	0.72	94.27%	
RS1810/6K6s	18	10	5	2	34.57	24.89	30	41	60	6	6	61	51	18	0.75	94.27%	
RS2004/10K4s	20	4	4	1	35.21	25.35	40	60	50	10	4	80	70	18	1.32	88.32%	
RS1805/6K6	18	5	5	1	37.04	26.67	30	42	60	6	6	62	52	18	0.78	89.34%	
RS2406/6K12s	24	6	6	1	37.04	26.67	36	48	30	6	12	68	58	18	1.13	86.28%	
RS3007/6K13s	30	7	7	1	40.13	28.89	42	54	30	6	13	74	64	18	1.98	83.43%	
RS1810/6K7s	18	10	5	2	40.33	29.04	30	41	60	6	7	61	51	18	0.76	94.27%	
RS1805/6K7	18	5	5	1	43.22	31.11	30	42	60	6	7	62	52	18	0.79	89.34%	
RS3007/6K14s	30	7	7	1	43.22	31.11	42	54	30	6	14	74	64	18	1.99	83.43%	
RS2004/10K5	20	4	4	1	44.02	31.69	40	60	50	10	5	80	70	18	1.34	88.32%	
RS1810/6K4	18	10	5	2	46.10	33.19	30	41	60	6	4	61	51	18	0.73	94.27%	
RS1810/6K8s	18	10	5	2	46.10	33.19	30	41	60	6	8	61	51	18	0.77	94.27%	
RS3007/6K15s	30	7	7	1	46.30	33.34	42	54	30	6	15	74	64	18	1.99	83.43%	
RS1805/6K8	18	5	5	1	49.39	35.56	30	42	60	6	8	62	52	18	0.80	89.34%	
RS30010/10K3s	30	10	5	2	50.76	36.55	50	70	50	10	3	90	80	20	2.64	90.93%	
RS1810/6K9s	18	10	5	2	51.86	37.34	30	41	60	6	9	61	51	18	0.78	94.27%	
RS2004/10K3	20	4	4	1	52.82	38.03	40	60	100	10	3	80	70	20	2.01	88.32%	
RS2004/10K6	20	4	4	1	52.82	38.03	40	60	50	10	6	80	70	20	1.36	88.32%	
RS1810/6K5	18	10	5	2	53.18	38.29	30	41	60	6	5	61	51	18	0.74	94.27%	
RS1805/6K9	18	5	5	1	55.56	40.00	30	42	60	6	9	62	52	18	0.81	89.34%	
RS2412/6K5	24	12	6	2	57.62	41.49	36	52	60	6	5	72	62	20	1.47	92.54%	
RS2412/6K10s	24	12	6	2	57.62	41.49	36	52	60	6	10	72	62	20	1.53	92.54%	
RS1805/6K10	18	5	5	1	57.96	41.73	30	42	60	6	10	62	52	18	0.82	89.34%	
RS2004/10K7	20	4	4	1	61.62	44.37	40	60	50	10	7	80	70	20	1.38	88.32%	
RS2406/6K10	24	6	6	1	61.74	44.45	36	48	60	6	10	68	58	20	1.38	86.28%	
RS2412/6K11s	24	12	6	2	63.38	45.64	36	52	60	6	11	72	62	20	1.54	92.54%	
RS3010/10K4s	30	10	5	2	67.68	48.73	50	70	50	10	4	90	80	20	2.66	90.93%	
RS2406/6K11	24	6	6	1	67.91	48.89	36	48	60	6	11	68	58	20	1.39	86.28%	
RS2412/6K6	24	12	6	2	69.14	49.78	36	52	60	6	6	72	62	20	1.48	92.54%	
RS3014/6K12s	30	14	7	2	69.14	49.78	42	63	30	6	12	83	73	20	2.17	90.86%	
RS2004/10K4	20	4	4	1	70.42	50.71	40	60	100	10	4	80	70	20	2.06	88.32%	
RS3005/10K8s	30	5	5	1	70.42	50.71	50	70	50	10	8	90	80	20	2.74	83.46%	
RS4018/10k3s	40	18	6	3	73.05	52.60	60	83	50	0	3	103	93	20	5.24	91.80%	
RS2406/6K12	24	6	6	1	74.08	53.34	36	48	60	6	12	78	63	20	1.40	86.28%	
RS3014/6K13s	30	14	7	2	74.91	53.93	42	63	30	6	13	93	78	20	2.18	90.86%	
RS3005/10K9s	30	5	5	1	79.23	57.04	50	70	50	10	9	100	85	20	2.75	83.46%	
RS3007/6K13	30	7	7	1	80.26	57.78	42	54	60	6	13	84	69	20	2.28	83.43%	
RS2412/6K7	24	12	6	2	80.67	58.08	36	52	60	6	7	82	67	20	1.49	92.54%	
RS3014/6K14s	30	14	7	2	80.67	58.08	42	63	30	6	14	93	78	20	2.18	90.86%	
RS4018/10K6	40	18	6	3	79.23	57.04	60	83	100	0	6	113	98	20	6.48	91.80%	
RS3010/10K5s	30	10	5	2	84.60	60.91	50	70	50	10	5	100	85	20	2.68	90.93%	
RS3007/6K14	30	7	7	1	86.43	62.23	42	54	60	6	14	84	69	20	2.29	83.43%	
RS3005/10K5	30	5	5	1	88.03	63.38	50	70	100	10	5	100	85	20	3.57	83.46%	
RS3005/10K10s	30	5	5	1	88.03	63.38	50	70	50	10	10	100	85	20	2.77	83.46%	
RS2412/6K8	24	12	6	2	92.19	66.38	36	52	60	6	8	82	67	20	1.50	92.54%	
RS3007/6K15	30	7	7	1	92.60	66.67	42	54	60	6	15	84	69	20	2.30	83.43%	
RS4006/10K11s	40	6	6	1	96.83	69.72	60	80	50	10	11	110	95	20	5.23	79.11%	
RS4018/10k4s	40	18	6	3	97.41	70.13	60	83	50	0	4	113	98	20	5.25	91.80%	

